

Category	Formula	Historic Le Mans & CanAm (1960 - 93)	Muscle Car & TransAm
Class	Break Out	Break Out	Break Out
Brand	Any	Any	Scalextric, Carrera
Axles	Box Std	Any	Any
Bearings	Box Std	Any	Any
Body	Box Std	Box Std	Box Std
Chassis	Box Std	Box Std may be trimmed to allow body roll	Box Std may be trimmed to allow body roll
Gearing	Box Std	Any	Any
Guide	Wood Guide	Any	Any
Interior	Box Std	Box Std	Standard or lexan (vacuum formed)
Motor	Max 21.5k	Max 23k RPM	23k
MotorPod	No	Box Std	No
Suspension	No	Allowed	No
Tyres - Front	Box Std may be trued	Box Std may be trued	Box Std may be trued
Tyres - Rear	Box Std or trued/ glued rubber tyres	Rubber / MJK	Rubber
Weight	Max car weight 100 grams	Allowed (Max add X grams)	Allowed
Wheel Track Front/Rear	Max 70mm	Inside Guards	Inside Guards
Wheels	Box Std	Box Std	Any
Cars Not Eligible	Modern F1	N/A	N/A

Volts	10	11	10
-------	----	----	----

Nascar V Stockers	GT - Cup	GT - RS
Break Out	Restricted	Restricted
Scalextric, Carrera, SCX	MR Slot Car, Scaleauto, NSR, Sideways, Slot.It	Revo Slot
Any	Box Std	Box Std
Any	Box Std	Box Std
Box Std	Box Std	Box Std, May be trimmed to allow body roll
Box Std may be trimmed to allow body roll	Box Std may be trimmed to allow body roll	Box Std
Any	MR Slot 11/29, NSR 13/31, S/Auto 11/27, SW 11/28, Slot.It 11/28	Revo, Plafit, JP (Ratio 12/33)
Any	NSR 4859, SP101003, SC1603, SWPU/03b, CH07, S.Invasion SILK#	Box Std or RS-210W
Standard or lexan (vacuum formed)	Box Std	Box Std
23k	MR - MN13CH, NSR - 3023, S/A - SC0029, S/W - Raptor, Slot.It - MN13CH	Revo 21k 200g/cm
No	Anglewinder	Box Std
No	Allowed	No
Box Std may be trued	Box Std may be trued	Box Std may be trued
Rubber	Rubber Max 20 x 12	Revo Slot Rubber
Allowed	Allowed (Max add X grams)	Allowed (Max add X grams)
Inside Guards	Inside Guards	Max 64mm or Inside Guards
Any	Box Std	Box Std as supplied
N/A	LMP / GT1 / Mosler	N/A

12	10	11
----	----	----

LMP / Hypercar	Revo Slot Group 2 (Small Car)	Muscle Car & TransAm (Full Throttle)
Restricted	Restricted	Open
NSR, Slot.It, Scaleauto	Revo Slot	Any
Box Std	Box Std	Any
Box Std	Box Std	Any
Box Std	Box Std, May be trimmed to allow body roll	Box Std
Box Std may be trimmed to allow body roll	Box Std	Box Std may be trimmed to allow body roll
Box Std	Revo Gearing	Any
NSR 4859, SP101004, SC1603, CH07	Box Std	Any
Box Std	Box Std	Standard or lexan (vacuum formed)
Max 23k RPM	Box Std	21.5k
Box Std	Box Std	No
Allowed	No	Allowed
Box Std may be trued	Box Std may be trued	Box Std may be trued
Rubber	Revo Slot Rubber	Rubber
Allowed (Max add X grams)	No	Allowed
Inside Guards	Inside Guards	Inside Guards
Box Std	Box Std	Any
N/A	Revo GT	N/A

10	11	12
----	----	----